

- audio signals”, *IEEE Transactions on Signal Processing*, vol. 51, no. 4, pp. 1020–1033, 2003. DOI: 10.1109/TSP.2003.809384.
- [7] H. S. Malvar and D. A. F. Florêncio, “Improved spread spectrum: A new modulation technique for robust watermarking”, *IEEE Transactions on Signal Processing*, vol. 51, no. 4, pp. 898–905, 2003. DOI: 10.1109/TSP.2003.809385.
- [8] X. He and M. S. Scordilis, “Efficiently synchronized spread-spectrum audio watermarking with improved psychoacoustic model”, *Research Letters in Signal Processing*, pp. 1–5, 2008. DOI: 10.1155/2008/251868.
- [9] P. Zhang, S. Z. Xu, and H. Z. Yang, “Robust audio watermarking based on extended improved spread spectrum with perceptual masking”, *International Journal of Fuzzy Systems*, vol. 14, no. 2, pp. 289–295, 2012. DOI: 10.30000/IJFS.201206.0013.
- [10] Y. Xiang, I. Natgunanathan, Y. Rong, and S. Guo, “Spread spectrum based high embedding capacity watermarking method for audio signals”, *IEEE/ACM Transactions on Audio, Speech, and Language Processing*, vol. 23, no. 12, pp. 2228–2237, 2015. DOI: 10.1109/TASLP.2015.2476755.
- [11] G. Budiman, A. B. Suksmono, D. Danudirdjo, K. Usman *et al.*, “A modified multicarrier modulation binary data embedding in audio file”, *International Journal on Electrical Engineering and Informatics*, vol. 8, no. 4, pp. 762–773, 2016. DOI: 10.15676/ijeei.2016.8.4.5.
- [12] G. Budiman, A. B. Suksmono, and D. Danudirdjo, “Fibonacci sequence - based FFT and DCT performance comparison in audio watermarking”, *International Journal of Engineering & Technology*, vol. 8, no. 19, pp. 209–214, 2019. DOI: 10.14419/ijet.v8i19.26401.
- [13] R. W. Goodman, *Discrete Fourier and Wavelet Transforms: An Introduction through Linear Algebra with Applications to Signal Processing*. World Scientific, 2016. DOI: 10.1142/9835.
- [14] P. K. Dhar and T. Shimamura, “Audio watermarking based on LWT and SD”, in *Advances in Audio Watermarking Based on Matrix Decomposition*. Cham, Springer International Publishing, 2019, pp. 43–51. DOI: 10.1007/978-3-030-15726-5_5.
- [15] D. F. G. Coelho, R. J. Cintra, N. Rajapaksha, G. J. Mendis, A. Madanayake, and V. S. Dimitrov, “DFT computation using Gauss-Eisenstein basis: FFT algorithms and VLSI architectures”, *IEEE Transactions on Computers*, vol. 66, no. 8, pp. 1442–1448, Aug. 2017. DOI: 10.1109/TC.2017.2677427.
- [16] H. Anton and Ch. Rorres, *Elementary Linear Algebra: Applications Version*, 11th ed. Wiley, 2013. DOI: 10.1007/978-0-387-09421-2_10.
- [17] A. Atriak and A. Kaur, “Perceptually transparent watermarking of audio signals”, in *Proc. of 2016 6th International Conference - Cloud System and Big Data Engineering (Confluence)*, 2016, pp. 458–462. DOI: 10.1109/CONFLUENCE.2016.7508163.
- [18] A. S. Patil and G. Sundari, “An embedding of secret message in audio signal”, in *Proc. of 2018 3rd International Conference for Convergence in Technology (I2CT)*, 2018, pp. 1–3. DOI: 10.1109/I2CT.2018.8529549.
- [19] A. Nadeau and G. Sharma, “An audio watermark designed for efficient and robust resynchronization after analog playback”, *IEEE Transactions on Information Forensics and Security*, vol. 12, no. 6, pp. 1393–1405, 2017. DOI: 10.1109/TIFS.2017.2661724.
- [20] A. Lang, J. Dittmann, R. Spring, C. Vielhauer *et al.*, “Audio watermark attacks: From single to profile attacks”, in *Proc. of the MM&Sec '05: 7th workshop on Multimedia and Security*, ACM, 2005, pp. 39–50. DOI: 10.1145/1073170.1073179.
- [21] G. Budiman, A. B. Suksmono, D. Danudirdjo, and S. Pawellang, “QIM-based audio watermarking with combined techniques of SWT-DST-QR-CPT using SS-based synchronization”, in *Proc. of 2018 6th International Conference on Information and Communication Technology (ICoICT)*, 2018, pp. 286–292. DOI: 10.1109/ICoICT.2018.8528727.
- [22] G. Budiman, A. B. Suksmono, and D. Danudirdjo, “CPT-based data hiding in selected subband using combined transform and decomposition method”, in *Proc. of International Conference on Control, Electronics, Renewable Energy and Communications (ICCEREC)*, 2018, pp. 86–92. DOI: 10.1109/ICCEREC.2018.8712001.
- [23] A. A. Attari and A. A. B. Shirazi, “Robust and transparent audio watermarking based on spread spectrum in wavelet domain”, in *Proc. of 2019 IEEE Jordan International Joint Conference on Electrical Engineering and Information Technology (JEEIT)*, 2019, pp. 366–370. DOI: 10.1109/JEEIT.2019.8717415.
- [24] Y. Hong and J. Kim, “Autocorrelation modulation-based audio blind watermarking robust against high efficiency advanced audio coding”, *Applied Sciences*, vol. 9, no. 14, 2019. DOI: 10.3390/app9142780.